

# **Antimony Resources Corp. (ATMY) (ATMYF) (K8J0) Continues to Drill More Massive Antimony-Bearing Stibnite (Sb) of 36.0% Sb in Drill Hole BHW-26-04 and 27.0% Sb in Drill Hole BH-26-15 at the Bald Hill Main Zone**

written by Raj Shah | June 16, 2026

June 16, 2026 ([Source](#)) – Antimony Resources Corp. (CSE: ATMY) (OTCQB: ATMYF) (FSE: K8J0) (the “Company” or “Antimony Resources” or “ATMY”) is pleased to announce that it has received assay results from additional drilling in the Main Zone at the Bald Hill Antimony project. The results are from drilling which is part of the more than 18,000 meters of drilling planned for Q2/Q3 2026. A portion of drilling in the expanded drill program is intended to expand the mineralization at the Main Zone to the North and South and to depth. The remainder of the drill targets will be focused on the New Zones recently identified on the Bald Hill Antimony project.

## **Highlights**

- All holes intersected antimony-bearing stibnite in the **Main Zone**
- **Values up to 36.0% Antimony (Sb), 27.0% Sb and 19.8% Sb**
- **Thickness up to 13.2 meters**

- The intersections are at depths up to 240 meters
- The drill hole intersections include multiple zones of mineralization – Hole BHW-26-04 intersected three zones over a drill hole length of 20 meters and BH-26-15 intersected three zones over a drill hole length of 40 meters
- The holes show greater width with drill hole BH-26-15 returning **2.85% Sb over 13.2 meters**

**Table 1: Summary of Assay Results for Samples of Drill Core From the Main Zone at Bald Hill Antimony Project**

<b>Drill Sample Results – Main Zone Bald Hill</b>				
<b><i>West Side Drilling</i></b>				
Hole Number BHW-26-03				
	From (m)	To (m)	Length (m)	% Sb
Zone 1	80.4	81.7	1.3	2.23
Zone 2	84.2	85.0	0.8	<b>19.8</b>
Hole Number BHW -26-04				
	From (m)	to (m)	Length (m)	% Sb
Zone 1	100.8	103.0	2.2	0.33
Zone 2	107.8	108.8	1	1.48
Zone 3	110.8	121.0	10.3	<b>5.45</b>
including	118.0	121.0	3.0	13.3
<b><i>East Side Drilling</i></b>				
Hole Number BH-26-15				
	From (m)	to (m)	Length (m)	% Sb
Zone 1	200.5	207.1	6.6	2.15
including	200.5	202.2	1.7	<b>7.62</b>

Zone 2	213.1	226.3	13.2	2.85
including	213.1	217.2	4.1	<b>5.45</b>
including	217.9	221.2	3.3	2.86
including	223.3	226.3	3.0	2.85
Zone 3	237.3	239.5	2.3	8.15




Figure 1: Locations of Drill holes BHW 26-03, BHW-26-04 and BH-26-15 at The Main Zone Bald HILL. Note drilling both from the West and East sides intersect the Main Zone and Create “Scissor” Intersections. Only Reported Holes are labeled. Drill Holes BHW-26-03 and BHW-26-04 were targeted to extend mineralization to the south.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/8411/301629\\_99808e97e4e219](https://images.newsfilecorp.com/files/8411/301629_99808e97e4e219)

[0e\\_001full.jpg](#)

Mr. James Atkinson PGeo., CEO of Antimony Resources, commented, *“These assays are from drill holes in the northern and southern parts of the Main Zone. Drill holes BHW-26- 03 and BHW-26-04 were intended to be “scissor holes” cutting the Main Zone from the west side. These holes are also in the southern extent of the Main Zone and were aimed to test the continuity of mineralization in the southern direction. They successfully intersected antimony mineralization and effectively extended the Main Zone in a southerly direction.*

*“As we have been describing, the current drill program in the Main Zone will be focused on expanding the known mineralization to the south and north and at depth. Exploration in the New Zones is continuing with drilling on the Central Zone with over 1500 meters completed to intersect below the mineralization exposed in surface trenching.”*

Table 2: Mineralized Intersections. The extent of the mineralized zones in BHW-26-03 and BHW-26-04 on the west Side and BH-26-15 from the east Side are reported.

Mineralized Intersections						
<b><i>West Side Drilling</i></b>						
<b>BHW 26-03</b>						
SAMPLE	From (m)	To (m)	Length (m)	Sb (ppm)	Sb (%)	Au (ppb)
2304541	80.40	81.00	0.60	> 500	0.217	680
2304542	81.00	81.70	0.70	> 500	3.95	654
2304543	81.70	82.50	0.80	286		14
2304544	82.50	83.35	0.85	180		10
2304545	83.35	83.80	0.45	156		11
2304546	83.80	84.20	0.40	194		10

2304547	84.20	85.00	0.80	> 500	19.8	852
2304548	85.00	85.40	0.40	255		14
2304549	85.40	86.25	0.85	161		12
2304151	86.25	87.08	0.83	113		12
2304152	87.08	88.10	1.02	242		11
2304153	88.10	89.15	1.05	65		12
2304154	89.15	90.05	0.90	45		8
<b>BHW-26-04</b>						
SAMPLE	From (m)	To (m)	Length (m)	Sb (ppm)	Sb (%)	Au (ppb)
2304243	100.80	102.00	1.20	> 500	0.24	98
2304244	102.00	103.00	1.00	> 500	0.43	1040
2304251	107.75	108.75	1.00	> 500	1.48	140
2304254	110.75	111.75	1.00	> 500	0.59	113
2304255	111.75	112.50	0.75	> 500	0.30	175
2304256	112.50	113.15	0.65	258	0.03	364
2304257	113.15	114.10	0.95	> 500	15.60	384
2304258	114.10	115.00	0.90	> 500	0.24	26
2304259	115.00	116.00	1.00	138	0.01	8
2304261	116.00	117.00	1.00	330	0.03	8
2304262	117.00	118.00	1.00	117	0.01	8
2304263	118.00	119.00	1.00	> 500	0.10	9
2304264	119.00	120.10	1.10	> 500	36.00	771
2304265	120.10	121.00	0.90	> 500	0.23	446
<b>East Side Drilling</b>						
<b>BH-26-15</b>						

2305039	200.50	201.05	0.55	> 500	0.60	40
2305041	201.05	201.55	0.50	> 500	23.10	701
2305042	201.55	202.20	0.65	> 500	1.65	1020
2305043	202.55	203.80	1.25	477	0.05	729
2305044	203.20	204.10	0.90	128	0.01	60
2305045	204.10	205.10	1.00	> 500	0.06	1860
2305046	205.10	206.10	1.00	> 500	0.79	2320
2305047	206.10	207.10	1.00	> 500	0.30	1610
2305055	213.10	214.10	1.00	> 500	2.77	2300
2305056	214.10	214.50	0.40	> 500	0.24	176
2305057	214.50	215.20	0.70	> 500	27.00	1180
2305058	215.20	216.20	1.00	> 500	0.07	120
2305059	216.20	217.20	1.00	> 500	0.53	95
2305061	217.20	217.90	0.70	108	0.01	91
2305062	217.90	218.20	0.30	> 500	23.10	195
2305063	218.20	219.20	1.00	> 500	2.38	392
2305064	219.20	220.20	1.00	159	0.02	75
2305065	220.20	221.20	1.00	> 500	0.12	107
2305066	221.20	222.20	1.00	77	0.01	11
2305067	222.20	223.00	0.80	72	0.01	67
2305068	223.00	223.75	0.75	> 500	0.09	67
2305069	223.75	224.25	0.50	> 500	17.80	382
2305071	224.25	225.25	1.00	> 500	0.17	145
2305072	225.25	226.25	1.00	> 500	0.12	58
2305085	237.25	238.25	1.00	> 500	2.01	37
2305086	238.25	238.80	0.55	> 500	0.94	91
2305087	238.80	239.50	0.70	> 500	22.60	423

The next phase of exploration at Bald Hill will also include an airborne magnetic and electromagnetic survey, soil sampling and geological mapping. Further trenching will be completed in areas of interest especially in the New Zones and in any areas where soil sampling indicates anomalous antimony or other metals. Note SR1 and SR2 in figure 3 show areas which returned anomalous antimony results in soil sampling.




Figure 2: Areas of known Antimony Mineralization on the Bald Hill Property. Note: SR1 and SR2 Soil Anomalies are currently being explored while trenching has been completed on the Marcus, Central and South Zones.

To view an enhanced version of this graphic, please visit:  
[https://images.newsfilecorp.com/files/8411/301629\\_99808e97e4e219](https://images.newsfilecorp.com/files/8411/301629_99808e97e4e219)

[0e\\_003full.jpg](#)

QA/QC

Samples from the drilling rigs are transported to our secure Core Handling Facility where they are examined by our geotechnical staff. Once the information on core conditions including RQD, lost core etc are recorded and the core is confirmed to be intact and orderly it is logged and marked for sampling by our professional geological staff. The marked core for sampling is cut by diamond saw one half is returned to the box for safekeeping and one half is placed in plastic bags. The bags are sealed and placed in larger canvas bags for shipment to the Activation Labs Processing facility in Fredericton where they are crushed and prepared for shipment to the assay lab in Ancaster Ontario. The samples are analyzed using Actlabs Method Code 1E3 Aqua Regia ICP-OES for the multi element and Code 1A2 Fire Assay AA for gold.

Quality Assurance and Quality Control (QA/QC) samples are inserted in the sample runs which include a known standard for antimony and gold, a core duplicate, a blank, and a pulp duplicate. Activation Labs also has standard QA/QC protocols which are reported with each assay batch.

Activation Laboratories is an internationally accredited assay Laboratory.

## **Bald Hill Antimony Project – A Project with Significant Antimony Potential**

### **Highlights**

- Bald Hill is a well-known, high-grade antimony deposit in southern New Brunswick, Canada.
- Assays indicate that Bald Hill is the highest-grade

antimony deposit in North America with mineable widths indicated by drilling.

- Drilling has outlined an antimony deposit in the Main Zone over 600 meters long and to a depth of at least 350 meters. The mineralization is open in all directions.
- Widths of mineralization average 4 to 5 meters and grades average 3% to 4% antimony.
- **NI-43-101 Technical Report:** The estimated potential quantity and grade of the drilled area from the 2025 Technical Report, which is the target of our exploration, is reported in the Technical Reports approximately 2.7 million tonnes with a grade between 3% and 4% antimony<sup>1</sup>. **For more details on the Potential of the project as described by the author of the Technical Report, please consult the NI43-101 which has been filed on SEDAR.** Antimony Resources Corp. has not completed enough work to confirm this estimate. The potential quantity and grade are conceptual in nature as there has been insufficient exploration to define a mineral resource, and it is uncertain if further exploration will result in the target being delineated as a mineral resource.
- Potential to expand based on recently discovered targets and additional claims added to the property to the west, south and east.
- New Zones outlined by Soil Sampling approximately 3 kilometres south of the Main Zone on the newly acquired Second Run Claim.

**(1) NATIONAL INSTRUMENT 43-101 TECHNICAL REPORT: BALD HILL ANTIMONY PROJECT SOUTHERN NEW BRUNSWICK, CANADA. NTS 21G/09, Prepared for Antimony Resources March 2, 2026. Prepared By John Langton, M.Sc., P. GEO., JPL GeoServices, Fredericton, New Brunswick, Canada.**

The technical contents of this news release were reviewed and approved by Jim Atkinson, MSc., P. Geo., President and CEO of Antimony Resources Corp. who is a qualified person as defined by National Instrument 43-101.

**About Antimony Resources Corp. (CSE: ATMY) (OTCQB: ATMYF) (FSE: K8J0)**

Antimony Resources Corp. is an exploration and development company focused exclusively on Antimony. The Company's management team possesses extensive experience in financing, exploration, development and mining. The Company is focused on becoming a significant North American producer of antimony.

[www.antimonyresources.ca](http://www.antimonyresources.ca)

On Behalf of the Board of Directors  
Jim Atkinson, CEO and President

For further information, please contact:  
Anthony Simone, President, Simone Capital Inc.  
416-881-5154, [asimone@simonecapital.ca](mailto:asimone@simonecapital.ca)