# F3 Intersects Radioactivity Across Multiple Zones

# written by Raj Shah | April 16, 2024 Uncovers Significant and Favorable Reverse Faulting at B1

April 16, 2024 (<u>Source</u>) – F3 Uranium Corp (TSXV: FUU) (OTCQB: FUUFF) ("F3" or "the Company") is pleased to announce the completion of the first 30 drill holes (totaling 12,100 meters) of its 2024 winter drill program. JR Zone has continued to yield high grade intercepts, such as PLN23-137 which intersected mineralization within a 18.5m interval including **1.25m of** composite off-scale mineralization (>65,535 cps), while the Company's focus has expanded to the discovery of additional mineralized zones along the A1 and B1 structures, with numerous radioactive intercepts along both shears, generating additional drill targets.

Ray Ashley, President, commented: "We are very pleased with the results from this winter's drill program, and the number of new targets generated along both the A1 and B1 systems. The scale of reverse faulting in conjunction with related massive graphitic fault structures at B1 was unexpected and supports our theory that the majority of B1 drilling south of line 2850 may have been in the footwall of this fault, where intense alteration and frequent radioactive intercepts suggest the presence of a nearby source. At A1, considerable undrilled gaps remain open for exploration, such as the 800m gap where hole PLN24-140 was drilled, returning over 11,000 cps on the gamma probe within the shear. With a large-scale gravity survey underway, in addition to a joint inversion of ground EM and resistivity geophysics, we continue to develop new targets for the drill program slated to resume in May after a short pause for seasonal breakup."

## A1 Shear Zone

A1, which is host to the high-grade JR Zone, contains several significant undrilled sections: PLN24-140 was collared on line 2325S, within a 800m long area along the A1 with no previous drilling, and intersected up to 560 cps on the handheld spectrometer, and up to 11,000 cps on the QL40 GRA gamma probe. Prior to PLN24-140, gamma probe readings greater than 10,000 cps had not been encountered outside of the JR Zone, resulting in a priority target for the program resumption in May.

### **B1 Shear Zone**

At B1, a total of nine drill holes targeted the intense alteration and structure intersected during the 2023 drill campaign, as these features often occur in close proximity to high grade uranium mineralization. Five drill holes intersected anomalous radiation over a total strike length of 600m. Drill hole PLN24-133 targeted an area near the northern end of the B1 shear zone where a significant change in Athabasca Sandstone depth was expected and encountered a basement wedge in excess of 120m downhole thickness within the sandstone exhibiting strong alteration and deformation (see Cross Section for line 2850S below). Figure 1 shows the lower structural Athabasca Unconformity at a depth of 291.2m, with significantly structurally disturbed sandstone beneath. An extremely graphitic structure was intersected within this wedge (see Figure 2), and in all follow up drilling on section and along strike. Drilling on line 2850S with PLN24-138 and PLN24-142 and step out drilling on line 2820S with PLN24-144 confirmed that the strike of this very significant offsetting reverse structure appears to be discordant to the B1 main shear, and likely related to the Harrison fault, a significant regional structure which played an important role in the development of the Athabasca basin.

This magnitude of displacement along wide and strongly graphitic basement faults is highly favorable, and structurally comparable to what is seen at some of the largest uranium deposits in the basin. This now provides a number of drill targets for high grade uranium mineralization including the unconformity contacts, as well as the basement "nose" at the terminus of the wedge within the sandstone, with a focus on where the A1 and B1 structures intercept this offsetting reverse fault.

## Drilling Highlights

PLN24-137 (line 040S): JR Zone

- 18.5m interval with mineralization from 201.0m 219.5m, including
  - 1.25m composite off-scale radioactivity (> 65,535
    cps) between 214.5m and 216.0m

## A1 Radioactive Drilling Intercepts:

PLN24-117 (line 000): JR Zone

• 8.0m mineralized interval from 261.0m - 269.0m

PLN24-119 (line 045S): JR Zone

- 3.5m mineralized interval from 256.0m 259.5m, and
- 4.0m mineralized interval from 265.0m 269.0m

PLN24-128 (line 030S): JR Zone

• 1.5m mineralized interval from 216.0m - 217.5m, and

• 0.5m mineralized interval from 271.5m - 272.0m

PLN24-129 (line 015S): JR Zone

• 0.5m mineralized interval from 208.0m - 208.5m, and

**5.5m** mineralized interval from 215.0m - 220.5m

PLN24-131 (line 795S): A1 Exploration

• 0.5m mineralized interval from 252.5m - 253.0m

PLN24-139 (line 795S): A1 Exploration

- 0.5m mineralized interval from 143.0m 143.5m, and
- 0.5m mineralized interval from 191.0m 191.5m

PLN24-140 (line 2325S): A1 Exploration

0.5m mineralized interval from 175.5m - 176.0m, and
0.5m mineralized interval from 216.5m - 217.0m

**B1 Radioactive Drilling Intercepts:** 

PLN24-122 (line 3450S): B1 Exploration

• 0.5m mineralized interval from 596.5m - 597.0m

PLN24-135 (line 3240S): B1 Exploration

- 0.5m mineralized interval from 380.5m 381.0m, and
- 2.5m mineralized interval from 387.0m 389.5m, and
- **0.5m** mineralized interval from 642.0m 642.5m

PLN24-138 (line 2850S): B1 Exploration

- 0.5m mineralized interval from 473.0m 473.5m, and
- 2.0m mineralized interval from 533.5m 535.5m

PLN24-141 (line 3240S): B1 Exploration

- 0.5m mineralized interval from 464.0m 464.5m, and
- **0.5m** mineralized interval from 546.0m 546.5m

PLN24-142 (line 2850S): B1 Exploration

• 0.5m mineralized interval from 319.0m - 391.5m

Natural gamma radiation in the drill core that is reported in this news release was measured in counts per second (cps) using a handheld Radiation Solutions RS-125 scintillometer. The Company considers greater than 300 cps on the handheld spectrometer as anomalous, >10,000 cps as high grade and greater than 65,535 cps as off-scale. The reader is cautioned that scintillometer readings are not directly or uniformly related to uranium grades of the rock sample measured and should be used only as a preliminary indication of the presence of radioactive materials. Samples from the drill core are split in half on site and are standardized at 0.5m lengths. One half of the split sample will be submitted to SRC Geoanalytical Laboratories (an SCC ISO/IEC 17025: 2005 Accredited Facility) in Saskatoon, SK. for lithogeochemical analysis using their "Uranium Package."

All depth measurements reported are down-hole and true thicknesses are yet to be determined.

Table 1. Drill Hole Summary and Handheld Spectrometer Results

	Collar Information					* Hand-held Spectrometer Results On Mineralized Drillcore (>300 cps / >0.5m minimum)						
							From (m)	To (m)	Interval (m)		Athabasca	Total Drillhola
Hole ID PLN24-117	Section Line	Easting 587655.7	Northing 6410710.8	Elevation 544.7	Az 54.1	Dip -54.4	281	261.5	0.5	Max CPS 310	Depth (m)	Depth (m) 329
							201.5	202.5 203	1	<300 410		
							263	263.5	0.5	450		
							203.0	204.5	0.5	1000		
							284.5 205	265 265.5	0.5	1900		
							205.5	200	0.5	310		
							200.5	207	0.5	3100		
							267	267.5	0.5	810 470		
							268	268.5	0.5	<300		
PLN24-118	32405	589688.9	6408181.3	534.7	64	-70.7	B1 M3	Z Exploration; no	radioactivity >3	00 eps	351.9	632
							258.5	257	0.5	1300		
							257 257.5	257.5	0.5	670 720		
							258 258.5	258.5 259	0.5	<300 480		
							259	259.5	0.5	380		
							205	205.5	0.5	750		
							200	208	2	<300		
							268.5	269	0.5	480		
PUN24-120	090N	587651.1	6410818.9	545.4	52.4	-60.2	AT MS	SZ exploration; n	o radioactivity >3	00 eps	203.2	317
PLN24-122 PLN24-123	3450S 015N	689879.7 687730.0	6408062.4 6410788.7	538.4 545.0	55.2 54.9	-66	698.5 A f M	597 S2 exploration; no	0.5 radioactivity >3	470 00 cpz	341.8 n.a.	683 305
PLN24-124 PLN24-125	2405 090N	587845.9 587634 3	6410598.5 6410808.6	548 545.2	78.6	-66.7	At M	SZ exploration; no	o radioactivity >3 o radioactivity >3	00 opo 00 opo	158.2	326
PLN24-128	35559	689878.4	6407928.7	632.2	55.2	-01.3	B1 MS	2 Exploration; n	o radioactivity >3	00 epa	363.2	558.5
PLN24-127 PLN24-128	0455	587749.0	6410758 6410742.4	645.7 645.7	54.8	-60.5	216	216.5	0.5	490	202	302 290
							216.5 217	217 217.5	0.5	2000		
DI NOV 407	0150	507747	0410770.5				271.5	272	0.5	300	200.4	220
PUN29-128	0108	00//4/	0410/08.9	um0.7	04.2	~~1.0	215	216.5	0.5	300	200.0	oll
							215.5 210	216 210.5	0.5	5200 7600		
							216.5	216.65	0.15	4200		
							216.65	217	0.5	6600		
							217.5	217.65 218	0.15	3500		
							218	218.5	0.5	2900		
							219	219.5	0.5	480		
							219.5	220 220.5	0.5	490 470		
PLN24-130	10058	589527.1	6410832.3	539.1 532.5	65.1	-65	PNG-6A	MSZ Exploration	no radioactivity	>300 ops	n.a.	392
							ATM					335
PLN24-132	0905	587708	6410637.5	545.6	00	-08.1	R1 MS	s2 exploration; ne	o radioactivity > 3	00 epe	104.1	602
PLN24-132 PLN24-133 PLN24-134	0905 28508 4358	587708 589500.9 587868.1	6410637.5 6408515.5 6410326.1	545.6 529.3 530.7	55 53.8	-56.1 -71.7 -84.8	B1 MS	s2 exploration; ni 12 Exploration; ni 12 exploration; ni	o radioactivity >3 o radioactivity >3 o radioactivity >3	00 epa 00 epa	n.a. 164.1, 290.0,313.3 n.a.	503 440
PLN24-132 PLN24-133 PLN24-134 PLN24-135	0905 28505 4355 32405	587705 589508.9 587868.1 589630.4	8410837.5 8408515.5 8410328.1 8408142.8	545.6 529.3 530.7 535.4	55 53.8 52.1	-58.1 -71.7 -64.6 -70.3	81 MS A1 MS 380.5 387	s2 exploration; no i2 Exploration; no i2 exploration; no 381 387 5	o radioactivity >3 o radioactivity >3 o radioactivity >3 0.5 0.5	00 ope 00 ope 00 ope 370 850	n.a. 164.1, 290.0.313.3 n.a. 361.2	503 440 047
PLN24-132 PLN24-133 PLN24-134 PLN24-135	0905 28505 4355 32405	587708 589508.9 587868.1 589030.4	6410637.5 6408515.5 6410328.1 6408142.8	529.3 530.7 535.4	66 63.8 62.1	-08.1 -71.7 -84.6 -70.3	81 MS A1 MS 380.5 387 387.5	S2 exploration; no S2 Exploration; no S2 exploration; no 381 387.5 388	0.5 0.5 0.5	00 eps 00 eps 370 850 720	na. 104.1. 290.0.313.3 n.a. 351.2	503 440 047
PLN24-132 PLN24-133 PLN24-134 PLN24-135	0905 28505 4355 32405	587708 589508.9 567868.1 589630.4	6410537.8 6408516.5 6410528.1 6408142.8	545.6 629.3 630.7 635.4	65 63.8 62.1	-08.1 -71.7 -84.6 -70.3	A1 M2 B1 M2 380.5 387 387.5 388 388.5	22 exploration; nr 12 Exploration; nr 13 81 1387.5 1388 1388.5 1389	radioadtivity >3 radioadtivity >3 0.5 0.5 0.5 0.5 0.5 0.5 0.5	00 ope 00 ope 370 850 720 520 1100	na. 184.1, 290.0,313.3 na. 351.2	503 440 047
PLN24-132 PLN24-133 PLN24-134 PLN24-135	0905 28505 4955 32405	587708 659600.9 687868.1 669030.4	6410837.5 6408516.5 6410326.1 6408142.8	545.6 529.3 530.7 535.4	55 53.8 52.1	-08.1 -71.7 -84.8 -70.3	A1 M3 B1 M3 A1 M3 380.5 387 387.5 388 388.5 388 388.5 389 642	22 exploration; n: 12 Exploration; n: 1381 387.5 388.5 389 389.5 642.5	nadodzivny >3 nadioactivity >3 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	00 opa 00 opa 00 opa 850 720 520 1100 730	na. 104.1, 290.0,313.3 n.a. 351.2	503 440 047
PLN24-132 PLN24-133 PLN24-134 PLN24-135 PLN24-135	0905 28505 4355 32405 6306	687708 659608.9 567868.1 569030.4 569030.4	6410837.5 6408515.5 8410328.1 6408142.8 6410302.3 8410302.3	545.6 629.3 630.7 635.4 636.3	56 58 52.1 54.4	-00.1 -75.7 -04.6 -70.3	A1 40 B1 40 380.5 387 387.5 388 388.5 389 642	sc exploration; ni 22 Exploration; ni 381 387.5 388 388.5 389 389.5 642.5 A1 MS2 expl	radioactivity >3 radioactivity >3 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	00 cps 00 cps	n.a. 164,1, 290,0,313,3 n.a. 361,2	603 440 047 323
PLN24-132 PLN24-133 PLN24-134 PLN24-136 PLN24-135 PLN24-137	0905 2806 4355 32405 0905 0405	587708 589608.9 5877868.1 589030.4 589030.4 589105.0 588105.0	6410537.5 6408516.5 6410328.1 6408142.8 6410302.3 6410302.3	848.6 629.3 630.7 635.4 630.3 545.6	56 53.8 52.1 54.4 55.4	-88.7 -78.7 -68.7 -70.3	81 M2 81 M2 380,5 387,5 388,3 388,5 388,5 389,6 42 201 201,5	sc exploration; nr 22 Exploration; nr 381 387.5 388.5 389 389.5 642.5 A1 MS2 expl 201.5 202	a radioactivity >3 radioactivity >3 oradioactivity >3 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	00 opa 00 opa 00 opa 850 520 1100 730 850 120 520 520 520 520 520 520 520 5	na. 164.1, 290.0,313.3 na. 361.2 0.8. 184.4	503 440 047 323 305
PUI24-132 PUI24-133 PUI24-134 PUI24-135 PUI24-135 PUI24-135 PUI24-135	0005 28808 4355 32405 0300 0405	587708 589509.9 587968.1 589030.4 589030.4 589030.4 589030.4 589105.0 587780.2	6410337.5 6408516.5 6410326.1 0408142.8 0410302.3 6410302.3	948.6 529.3 530.7 538.4 538.4 538.4 538.3 648.6	55 53.8 52.1 54.4 50.4	-84.7 -71.7 -84.8 -70.3 -70.3 -70.3 -75	A f Mill B f Mill 380, 5 387 387, 5 388, 5 388, 5 389 642 201 201, 5 202 202, 5	<ul> <li>ce.updation, nr.</li> <li>ce.updation, nr.</li></ul>	> radioathing > 2 > radioathing > 2 > radioathing > 2 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	00 cpa 00 cpa 00 cpa 850 720 520 1100 730 520 1100 730 540 540 540 540 540 540 540 54	n.a. 164.1, 280.0,313.3 n.a. 361.2	503 440 647 323 305
PUR24132 PIN24133 PUR24134 PUR24136 PUR24136 PUR24136 PUR24136	0005 28606 4355 32406 8305 0405	587708 589506.9 587868.1 589030.4 589030.4 589030.4 589030.4 589030.4	6410537.5 6409516.5 6410528.1 6409142.8 6410502.3 6410502.3	648.6 628.3 630.7 638.4 638.4 638.4 638.5	55 55 52.1 54.4 55.4	-84.1 -71.7 -84.8 -70.3 -70.3 -70.3	201.5 202.5 202.5 202.5 202.5 203.5 203.5 203.5 203.5	<ul> <li>ze apportation, in / ze ze providence, in / ze ze</li></ul>	radioactivity > 3 radioactivity > 3 o radioactivity > 3 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	00 eps 00 eps 00 eps 100 ep	n.a. 164.1, 290.0,313.3 n.a. 301.2	503 440 047 047 323 305
PUR24-122 PUR24-133 PUR24-134 PUR24-136 PUR24-136 PUR24-136 PUR24-137	0005 28506 4355 32406 0306 0405	587708 585606.9 587868.1 589030.4 589030.4 589030.4 589030.4	6410537.5 640805.5 6410320.1 6408142.8 6410302.3 6410302.3	548.8 530.7 536.4 630.3 648.8	56 55 52.1 54.4 59.4	-84.6 -70.3 -70.3 -70.3 -70.3	2015 2015 2015 2015 2015 2015 2015 2015	22 eutomation, in 22 Eutomation, in 22 Eutomation, in 22 Eutomation, in 381 381, 5 388, 5 388, 5 389, 5 399, 5 39, 5	) acusating > 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	00 eps 00 eps 00 eps 100 ep	n.a. 164.1, 290.0,313.3 n.a. 361.2 n.a. 184.4	503 440 047 323 305
PUR24-122 PUR24-133 PUR24-134 PUR24-136 PUR24-136 PUR24-136	0005 28506 4355 32409 0005 0405	687708 689006.9 587266.1 689030.4 689030.4 689105.0 587780.2	641032.7 6 640921.5 5 641022.1 641022.3 6410302.3 6410753.3	648.6 528.3 630.7 638.4 630.3 548.6	56 55 62.1 54.4 55.4	- 48.5 - 71.7 - 70.3 - 70.3 - 70.3 - 70.3	A f MA B T MA A f AA 380, 6 387 388 388 388 388 388 388 388	24 appendixed, in a 22 application, in a 22 exploration, in 22 exploration, in 23 at 388, 5 389, 5 399,	1 advastmy - 2 adv	00 eps 00 eps 00 eps 100 ep	n.a. 184.1 290.0373.3 n.a. 361.2 0.61.2	603 440 047 047 305
PUR4-122 PUR4-133 PUR4-134 PUR4-136 PUR4-136 PUR4-130 PUR4-137	0005 28006 4355 32405 0005 0405	687708 689009 689030.4 689030.4 689030.4 689105.0 689780.2	641032.5 644035.5 6410326.1 6410302.3 6410302.3 6410753.3	548.6 529.7 630.4 630.3 630.3 648.6	55 55 63.0 62.1 54.4 55.4		A f MA A f MA 380,6 387, 388, 388, 388, 388, 388, 388, 389, 201, 201, 201, 202, 202,5 203, 203,5 204, 204,5 205, 206, 207,	24 aujuotation, ni 22 aujuotation, ni 22 aujuotation, ni 23 aujuotation, ni 23 aujuotation, ni 23 aujuotation, ni 23 aujuotation, ni 23 aujuotation, ni 24 aujuotation, ni 20 aujuotatio	Advised intervention of a device of the intervention of the i	00 epa 00 epa	n.a. 184.1 200.373.3 n.a. 361.2	503 440 647 323 305
PUR4-122 PUR4-133 PUR4-134 PUR4-135 PUR4-135 PUR4-135 PUR4-135	0005 28006 4355 32405 0305 0405	687708 669006.9 669030.4 689030.4 689030.4 689105.0 687786.2	6+1037.5 6+40326.1 6+10302.1 6+10302.3 6+10302.3 6+10753.3	948.6 228.3 535.4 535.4 690.3 645.6	56 53.0 62.1 54.4 68.4	-04.0 -71.7 -04.8 -70.3 -70.3 -70.3 -75	AT AG           AT AG           380, 5           387, 5           388, 388, 6           388, 8           388, 6           389, 7           201           201           202           202           203, 6           204           204, 6           206, 8           206, 206, 8           206           207, 9	<ul> <li>24.90/04050(r), ni</li> <li>25.24 (publication), ni</li> <li>25.24 (publication), ni</li> <li>26.93</li> <li>26.93</li> <li>26.93</li> <li>26.94</li> <li>26.94</li> <li>26.94</li> <li>26.95</li> <li>26.95<td>A double for the set of the set o</td><td>00 qpa 00 qpa 00 qpa 850 720 1100 720 850 720 850 720 850 720 850 720 850 720 850 720 850 720 720 720 720 720 720 720 72</td><td>na. 184,1, 290,3333 n.a. 391,2 191,2 194,4</td><td>603 440 647 323 305</td></li></ul>	A double for the set of the set o	00 qpa 00 qpa 00 qpa 850 720 1100 720 850 720 850 720 850 720 850 720 850 720 850 720 850 720 720 720 720 720 720 720 72	na. 184,1, 290,3333 n.a. 391,2 191,2 194,4	603 440 647 323 305
PUR4-122 PUR4-133 PUR4-134 PUR4-135 PUR4-135 PUR4-135 PUR4-135	0005 28606 4355 32406 0006 0405	687708 689009.1 689009.4 689009.4 689009.4 689009.4 689009.4	6+1032.5 6+10326.1 6+10302.3 6+10302.3 6+10753.3	948.0 228.3 530.7 535.4 536.4 536.3 545.0	56 56 63.0 62.1 54.4 58.4		81 442 81 442 380,6 387,5 388,5 388,5 389 642 201,6 202,6 203,2 203,2 204,6 205,8 206,5 206,5 207,6	22 exploration; nr 22 exploration; nr 22 exploration; nr 23 exploration; nr 381 385 388 388,5 389,5 442,8 442,8 442,8 442,8 202 203,5 204,5 205 205,2 205,2 206,5 207,5 208	A decodering - So A decoder (1997) - So A de	00 cps 00 cps 00 cps 00 cps 520 1100 1200 1000	na. 184,1, 290,3333 na. 3512 na.	693 440 047 223 305
PUR24-132 PUR24-133 PUR24-134 PUR24-136 PUR24-136 PUR24-137	0005 28609 4355 32405 0405	687708 689009 687068.1 689030.4 689030.4 689030.4 6897780.2	e 41033 5 64089165 6410328,1 6409142,8 6410302,3 8410783,3	448.8 528.3 530.7 538.4 638.3 548.8	55 55 62.1 54.4 55.4		81 44 81 44 81 44 380, 5 387 388 388 388 388 388 389 642 201, 6 202, 1 201, 8 203 203, 8 203 204 204, 6 205, 8 206 206, 9 207, 6 207, 9 208, 8 208, 8 208, 9 208, 9 209, 9 200,	22 44/00/00047 22 44/00/00047 22 44/00/00047 23 45 38 5 38 5	7 advastinty 52 advastinty 52 advastinty 52 advastinty 52 advastinty 52 available for the second sec	00 qpa 00 qpa	na 184,1 290,3333 na 3512 0.0 1844	693 440 047 223 205
PU24-132 PU24-134 PU24-134 PU24-136 PU24-136 PU24-137 PU24-137	0005 28505 4355 32409 0005 0405	887708 68900-9 687064.1 689030.4 689030.4 689030.4 689030.2	e 410327.5 64089165 6410328.1 6409142.8 6410302.3 8410783.3	848.0 529.3 530.7 638.4 630.3 648.0	55 55 52 1 54 4 58 4		8 1 45 8 1 45 A 7 M 307 337 337 337 338 338 338 339 442 201 201 201 201 202 202 202 20	24 apploadator, nr. 17 34 app	A delocatively - So A delo	00 qpa 00 qpa 00 qpa 00 qpa 8500 1100 10000 1000 1000 1000 1000 1000 100	1941. 2200.3123. n.a. 381.2 181.4 184.4	693 440 047 323 395
PUR24-132 PUR24-134 PUR24-134 PUR24-135 PUR24-135 PUR24-135	0963 25603 4355 22405 22405 0405 0405	18770 68500 68500 68500 68500 68500 68500 68570 887780 887780 8	4-1037-5 6-48851-5 6-410322-1 6-4081-42-8 6-410302-3 6-410753-3	2448 2633 5537 6084 6084 5485	65 63.8 62.1 54.4 66.4	-0017 -717 -703 -703 -703 -703 -703 -703 -703	2010 A 142 A 140 A 140 2010 A 2 2010 A 2 2017 A 2 2018 A	<ul> <li>e actorization (c)</li> <li>a 301</li> <li>a 301</li> <li>a 303</li> <li>a 303</li> <li>a 303</li> <li>a 304</li> <li>a 304</li> <li>a 305</li> <li>a 304</li> <li>a 305</li> <li>a 305</li> <li>a 41 at 22 aregular (a)</li> <li>a 41 at 24 aregu</li></ul>	A december of a second se	00 qps 00 qps 00 qps 00 qps 100 qps	па 1 па 80313 8012 па 8012	693 440 647 523 305
PUR24-132 PUR24-133 PUR24-134 PUR24-136 PUR24-136 PUR24-137	0963 20000 4055 20005 2005 2005 9000 9000 9000	1.81703 660908.9 667908.1 66990.4 66990.4 669702.2	4+02121 4+021281 4+021281 4+021221 4+021223 4+021233 4+021233	500 3 500 3 500 3 500 3 500 3	66 63 621 621 684 884		41 142 41 142	<ul> <li>e apposition (1)</li> <li>381</li> <li>383</li> <li>383</li> <li>384</li> <li>385</li> <li>385</li> <li>386</li> <li>387</li> <li>386</li> <li>386</li> <li>386</li> <li>386</li> <li>386</li> <li>386</li> <li>387</li> <li>386</li> <li>386</li> <li>387</li> <li>386</li> <li>386</li> <li>386</li> <li>387</li> <li>386</li>     &lt;</ul>	Community of the second s	00000000000000000000000000000000000000	1941, 2053/113 8 301/2 101/2 101/2 101/2 101/2	693 440 047 323 300
PUEL02 PUEL03 PUEL03 PUEL03 PUEL03 PUEL03	0963 23000 4355 22003 22003 22003 22003 2003	1.81703 660906.9 660906.9 660906.4 68990.4 68990.4 68970.2 8	44100714 6409058 6409058 6409052 6409052 6409052 6409052 6409052 6409052 6409052 6409052 6409052 6409052 6409052 6409052 6409055 640905 64005	500 3 500 3 500 3 500 3 500 3 500 3	56 558 521 544 554	687 373 448 703 703	41 142 41 142	<ul> <li>4 exploration (r), and (r)</li></ul>	Community of the second s	200 gan 200 ga	184.1, 205.3113.2 n.a 301.2 104.4 104.4	63) 440 647 223 388
RUBEND RUBEND RUBEND RUBEND RUBEND RUBEND	096 2000 435 2245 2245 845 845	581708 665006 3 657083 1 659000 4 659000 4 887710 3	4+00274 6402081 6+02081 6+02081 6+02081 6+02081 8+020818 8+000818010000000000000000000000000	448 2633 2637 0364 2668 2668	56 55.0 52.1 59.4 59.4 59.4	647 373 783 783 647 78	2015 2015 2017 2017 2017 2018 2018 2017 2018 2017 2018 2017 2018 2017 2018 2028	2006 0 4 6000000 M 10 10 10 10 10 10 10 10 10 10 10 10 10	0,000,000,000,000,000,000,000,000,000,	200 gan 200 ga	194.1, 748.1, 748. 751.2 754.4 754.4	63 440 647 223 268
PUGH10 PUGH10 PUGH10 PUGH10 PUGH10	096 2000 435 2245 2245 845 845	581708 669008 509008 509000 509000 60900 807700 2	4+10273 6403053 44403021 6403023 6403723 64077233	6468 2033 2037 2024 2024 2024 2025 2024 2025 2026	66 636 621 584 584	613 513 703 703 703	2019 2019 2019 2019 2019 2019 2019 2019 2019 2019 2019 2019 2019 2019 2019 2019 2019 2020	4 2008000 (1) 337 5 338 5 348 5 3	Comparation of the second	20 General Control of	194.1. 996.3132 n.a. 997.2 195.4	63) 446 647 223 205
PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10	0983 22609 4453 22409 22409 000 000 000 000 000 000 000	187700 685000 3 61798 1 61990 1 61990 1 61990 1 817780 2 817780 2	4+102732 6410752 4+102021 6+102022 6+107022 6+107023 6+107023	9488 2033 2037 2024 2024 2024 2024 2024 2024	66 62 621 644 584	442 773 773 773	8 / 10	<ul> <li>a capabalanti, r. M.</li> <li>a capababalanti, r. M.</li> <li>a capababababababababababababababababababa</li></ul>	Commission     C	20 General Control of Control	194.1. 194.1. 194.2 197.2 195.4	63 440 647 223 208
PUBLIG PUBLIG PUBLIG PUBLIG PUBLIG PUBLIG PUBLIG	0963 22000 4353 22400 22400 22400 6400 6400	181700 1829001 1829000000000000000000000000000000000000	4+10273 6403053 6403053 6403023 6403023 64070323 64070323	948 8 203 203 204 206 3 206 3 206 3 206 3 206 3	66 68 621 544 554	443 773 773 773 775	81 10 41 40 41 40 30 30 30 30 30 30 30 30 30 3	<ul> <li>a capabalanti, and a capababalanti, and a capabababataataataataataataataataataataataa</li></ul>	Commission     C	20 00000000000000000000000000000000000	194.1. 1940-3132 39 1942-39 1942-39 1944-39 19	83 446 647 223 326
PUBA102 PUBA103 PUBA103 PUBA104 PUBA104 PUBA104 PUBA104	0963 20009 4853 32469 32469 6469 6469	147700 645000 3 615000 4 559000 4 559000 4 559000 4 55900 4 559780 2	44100713 6410102 6410102 64101022 64101022 64101022 64101022	500 3 500 3 500 3 500 3 500 3 500 3	56 50 521 544 554	443 773 773 773 773	2010 2017 3027 - 3038 - 2017 - 2018 - 2020 - 20	<ul> <li>a capabalanti, and a capababalanti, and a capabababataataataataataataataataataataataa</li></ul>	Commission     C	200 year 200	194.1. 1940-3113 20 1940-3113 20 1940-311 1944-3 1944-3	83 446 647 233 238
PUBA102 PUBA103 PUBA104 PUBA104 PUBA104 PUBA104 PUBA104	006 2000 400 3200 3200 5200 940 940	587703 6829003 5590003 5590004 5590004 5590004 5590004 5590004	44100714 64602051 64602021 64602021 64602023 64607023 84607023	948 3 2003 2003 2004 2004 2004 2004 2004 200	66 656 62.1 64.4 65.4	9.53 9.53 9.53 9.53 9.53 9.53	2010 2017 3017 2017 3027 3 3027 3 3027 3 3028 3 3028 3 2029 3 2020 3	<ul> <li>a doublemit of the second secon</li></ul>	Association (F)         Sociation (F)           0.5         Sociatio (F)           0.5         Soc	50 Gen 50 Gen 170 G	194.1 2003113 n.a 3012 n.a 1944	83 446 647 323 386
PQ84103 PQ84103 PQ84108 PQ84108 PQ84108 PQ84108	0093 20005 4493 32405 22405 02405 0405	147700 6460063 637061 609004 6877802 609004 6877802	44103723 6403053 6403053 6403023 6403023 6407233 8407233	9483 2833 2837 2934 2934 2934 2935 2934 2935 2935	66 636 62.1 64.4 68.4		2010 0 1 10 1 10 1 10 1 10 1 10 1 10 1	<ul> <li>a constant, and a constant, and a</li></ul>	Association (F)         3           0.5         0.5	50 Gene 200	194.1. 2003113 n.a. 3012 184.4	83 446 647 233 235
10,04102 10,04103 10,04103 10,04105 10,04105 10,04105	0993 22000 4493 32409 22409 22409 8493 8493	147700 4640063 4620064 4620000 4620000 462000 4620000 4620000000000	4+03723 6403553 6403553 6403553 6403523 6403723 6403723 6403723	505.1 503 503 505.1 505.1 546.6	66 636 62.1 68.4 88.4		201 0 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	<ul> <li>a constant, and a constant of a</li></ul>	Application of the second	CO 0400           CO 0400           CO 0400           CO 0400           TO 04000	164.1 2003113 n.k 3012 104 184.4	83
DQ64103 DQ6410	9993 22009 4493 32409 92409 9493 9493	1 AFT700 4 AF7061 4 AF70	440073 4400753 4400523 4400523 4407533 4407533 4407533	2021	06 936 921 924 934 934		201 0 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	<ul> <li>a capanality of a capacity of a</li></ul>	Association (%)         Association (%)           0.6         0.6           0.7         0.6           0.8         0.6 <td>50 General Control of Control of</td> <td>194.1. 920.3133 n.a. 921.2 11.4.4 138.4</td> <td>(8) 440 (87) 305 305 305 305</td>	50 General Control of	194.1. 920.3133 n.a. 921.2 11.4.4 138.4	(8) 440 (87) 305 305 305 305
PUG4102 PUG4102 PUG4103 PUG4103	9898 20009 489 32409 9499 9499 9499 9499	1 87700 849006 3 649006 3 65900 4 65900 4 85770 2 65900 4 85770 2 65900 4	440073 640055 440052 640052 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 640753 6407556 6407556 6407556 640756 640756 640756 640756 640756 640756 640756 640756 640756	944 943 953 955 955 955 955 955 955 955 955 95	66 636 621 544 554 618	-013 -013 -013 -013 -013 -013 -013 -013	8 / 10 / 20	<ul> <li>a capanality of a capacity of a</li></ul>	Association (%)         Association (%)           0         0         0           0         0	20 General Control of	194.1. 926.3132 n.a. 307.2 194.4 194.4 194.4	63 440 647 533 545 569
PUBLING PUBLING PUBLING PUBLING PUBLING PUBLING	9093 22000 22403 9493 9493 9493 9493 9493	187700 1849005 3 187098 1 059000 4 55900 4 559700 2 559700 2	440373 6403053 4403051 4403023 440752 440753 440753 3	2443 2833 2837 2837 2837 2837 2837 2837 283	66 63 621 621 634 854		8 / 10 / 20	<ul> <li>a capanality of a capacity of a</li></ul>	Association (%)         Association (%)	20 Grant 20	194.1. 926.3132 n.a. 307.2 194.4 194.4 194.4	(63)
PUBLIC PUBLIC PUBLIC PUBLIC PUBLIC PUBLIC PUBLIC	0093 23000 4453 22499 9493 9493 9493 23055	187700 686000 3 605000 3 60500 3 60500 3 60500 3 60770 2 60500 3 60770 2 60500 3 60770 2 60500 3 60770 2 60500 3 60770 2 60500 3 60500 3 60500 5 60500 5 6050000000000	4400723 6400505 6400502 6400502 6400723 6407723 6407723 6407723	1948 203 203 203 204 204 204 204 204 204 204 204 204 204	66 63 621 621 634 854 654 654		8 / 10	<ul> <li>a capabalanti, and a capababalanti, and a capababataataataataataataataataataataataata</li></ul>	0.00000000000000000000000000000000000	20 General Control of	194.1. 194.9. 19	60
PUBLING PUBLING PUBLING PUBLING PUBLING PUBLING	9093 22000 485 22409 9005 9005 9005 9005 9005 9005 9005 9	1 81710 645000 1 645000 1 65900 1 65900 1 87770 2 87770 2 77770 2 77770 2 77770 2 77770 2 77770 2 77770 2 77770 2 77770 2 7	4+00723 4+02224 4+02224 4+02224 4+02224 4+07223 4+07223 4+07233 4+07733 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+07756 4+077566 4+077566 4+077566 4+075666666666666666666666666666666666666	1448 203 203 203 203 204 204 204 204 204 204 204 204 204 204	66 62 621 644 554 554 64 64 64		8 / 10	<ul> <li>a constant, and a constant, and a</li></ul>	944000000 (1999) 1990	20 General	196.1. 196.3.12 196.3.12 201.2 196.3.272.8 196.4 196.4 196.4 196.4	(6)         (6)           (67)         (6)           (7)         (7)           (8)
PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10	9093 22009 485 22409 22409 8005 849 849 849 849	147700 6450003 615000 615000 615000 817780 8177780 8177780 817780 817780 817780 817780 817780 817780	4+00732 6400753 6400752 6407523 6407523 6407726 6407766 6407666 6407766 640	1448 203 203 203 203 204 204 204 204 204 204 204 204 204 204	66 63 621 621 584 584 64 64 667		8 / 10	<ul> <li>a constantion</li> <li>a consta</li></ul>	(1)     (	20 General	196.1. 196.3.12 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	603
PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10	9093 22009 485 22409 8095 8095 809 809 809 809 809 809 809 809 809 809	147700 6450003 3 612986 1 612986 1 619903 4 619903 4 817780 2 619903 4 817780 2 619903 4 619903 8 619903 2	44100733 64101513 6410152 6410152 64101523 64101723 64101723 64101723 64101723 64101723 64101723	448 4 203 203 203 204 204 204 204 204 204 204 204 204 204	66 66 62.1 62.1 62.4 62.4 62.4 62.4 62.4 62.4 62.7 61.8 61.8 61.8 61.8 61.8 61.8 61.8 61.8		2010 2017 302 303 303 303 303 303 303 303 303 303	<ul> <li>a capabalanti, and a capababalanti, and a capabababata, and</li></ul>	(1)     (	े के प्रथम के प्र के प्र	194.1 990.3133 n.4 991.2 194.4	(8)         (8)           440         (8)           (8)         (8)           300         (8)           300         (8)           500         (8)           200         (7)           200         (7)           200         (7)           200         (7)           200         (7)           200         (7)
PUG4103 PUG4103 PUG4103 PUG4104 PUG410	9093 22009 483 22409 22409 8409 8409 8409 8409 8409 8409 8409 8	187700 1829003 1829003 1829003 1829003 1829003 1829003 1877802 187780 1877802 187780000 18778000000000000000000000000	44100723 6400050 6400050 6400002 6400023 6400023 6400023 6400050 6400050 6400050 6400050	2003 2003 2003 2004 2004 2004 2004 2004	66 68 62 62 1 54 64 64 65 7 72 9 64 65 7 72 9 73 8 73 72 9 74 8 74 8 74 8 74		2010 2010 302 302 302 302 303 303 304 304 304 201 201 201 201 201 201 201 201 201 201	<ul> <li>a department of the second seco</li></ul>	(1)     (2)     (	Or Organ           Control           <	194.1 2003133 na 3972 1944 1944 1944 1944 1944 1944 1944 194	83         83           440         647           323         323           326         326           569         296           273         665           296         217           665         326
PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10 PUGH10	909 2000 449 3200 0 200 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 87700 849005 3 1 9786 1 96900 4 48778 2 59900 4 48778 2 59900 4 48778 2 59900 2 59900 2 59900 2 59900 2 59900 2 59900 2 59900 2	44100723 64001053 64001053 64001053 64001023 64001023 64007033 6400703 6400703 6400703 6400703 64001026 64000000 64000000 6400000000	444 263 263 263 264 264 264 264 264 264 264 264 264 264	66 66 62 62 1 64 6 6 4 6 6 7 7 7 2 9 7 7 2 9 7 7 2 9 7 7 2 9 7 3 7 3 7 3 7 3 7 3 7 3 7 3 7 3 7 5	933 933 444 933 933 - 75 - 75 - 75 - 75 - 75 - 75 - 75 - 75	2010 2010 302 302 302 303 303 304 304 304 201 201 201 201 201 201 201 201 201 201	expension ()         expe	Approximation         Approximation           0	CO Operation	194.1 2053132 1 2053132 1 205313 1 205313 1 205313 1 2053 1 2053 1 2053 1 2053 1 2053 1 2053 1 2053 1 2053 1 2053 1 205312 1 205512 1 205510 1 205512 10 100 100 1000	83         83           440         647           323         34           324         34           325         323           326         323           326         323           326         323           326         323           326         323           326         323           327         326           328         326           327         326           427         326           427         429

#### B1 Conductor Hole PLN24-133 (line 2850S) Drill Core Sandstone and Basement Alteration. Depth: 284.4-298.0m downhole



 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 280 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 

 290 
 <t

Figure 1: PLN24-133 (line 2850S): Lower Structural Athabasca Unconformity

To view an enhanced version of this graphic, please visit: <a href="https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda">https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda</a> 87\_002full.jpg

#### B1 Conductor Hole PLN24-144 (line 2820S) Drill Core Basement Alteration. Depth: 249.6-261.8m downhole



 FINELING Ex.SV
 2521

 2523
 2523

 2523
 2524

 2523
 2524

 2523
 2524

 2523
 2524

 2524
 2524

 2525
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 2527
 2524

 <

# Figure 2: PLN24-144 (line 2820S): Basement wedge hosted graphitic fault

To view an enhanced version of this graphic, please visit: <a href="https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda">https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda</a> 87\_003full.jpg

The Company contracted Patterson Geophysics Inc. ("Patterson") to complete 65 line-km of fixed loop SQUID electromagnetic survey coverage (FL-SQUID-EM) over the B1 target area, to measure the induced electromagnetic ("EM") fields associated with sandstone alteration effects as well as the response to dipping basement conductors. A trace of this conductor model projected to surface is shown on Map 1, and notably deviated in strike from the original B1 conductor model. The data collected by Patterson was used to target and successfully drill the large graphitic structure associated with the basement wedge intersected in PLN24-133.

Dias Geophysical Ltd. completed the 3D DC resistivity and induced polarization (DCIP) over the northern A1 area hosting

the JR Zone, and the B1 area, using their DIAS32 system. F3 has engaged a contractor to process and perform 3D inversion modeling of resistivity and EM geophysical data jointly and in conjunction with all the drilling data to better resolve thin basement hosted conductors.

Initial Exploration Services Inc. has been contracted to conduct a ground gravity survey over the southwest section of the PLN and Broach properties. The survey is currently focusing on surveying the lakes and waterbodies using ice cover, with the remainder of the survey area to be infilled in late spring, and F3 aims to disclose those results once all the data has been collected and interpreted.

## About Patterson Lake North:

The Company's 4,078-hectare 100% owned Patterson Lake North property (PLN) is located just within the south-western edge of the Athabasca Basin in proximity to Fission Uranium's Triple R and NexGen Energy's Arrow high-grade world class uranium deposits which is poised to become the next major area of development for new uranium operations in northern Saskatchewan. PLN is accessed by Provincial Highway 955, which transects the property, and the new JR Zone uranium discovery is located 23km northwest of Fission Uranium's Triple R deposit. The PLN property is part of the PLN Project which also includes the Minto and Broach properties.

## Qualified Person

The technical information in this news release has been prepared in accordance with the Canadian regulatory requirements set out in National Instrument 43-101 and approved on behalf of the company by Raymond Ashley, P.Geo., President & COO of F3 Uranium Corp, a Qualified Person. Mr. Ashley has verified the data disclosed.

## About F3 Uranium Corp.

F3 Uranium is a uranium project generator and exploration company, focusing on projects in the Athabasca Basin, home to some of the world's largest high grade uranium discovery. F3 Uranium currently has 18 projects in the Athabasca Basin. Several of F3's projects are near large uranium discoveries including Triple R, Arrow and Hurricane.

### Forward Looking Statements

This news release contains certain forward-looking statements within the meaning of applicable securities laws. All statements that are not historical facts, including without limitation, statements regarding future estimates, plans, programs, forecasts, projections, objectives, assumptions, expectations or beliefs of future performance, including statements regarding the suitability of the Properties for mining exploration, future payments, issuance of shares and work commitment funds, entry into of a definitive option agreement respecting the Properties, are "forward-looking statements." These forward-looking statements reflect the expectations or beliefs of management of the Company based on information currently available to it. Forward-looking statements are subject to a number of risks and uncertainties, including those detailed from time to time in filings made by the Company with securities regulatory authorities, which may cause actual outcomes to differ materially from those discussed in the forward-looking statements. These factors should be considered carefully and readers are cautioned not to place undue reliance on such forward-looking statements. The forward-looking statements and information contained in this news release are made as of the date hereof and the Company undertakes no obligation to update publicly or revise any forward-looking statements or information, whether as a result of new information, future

events or otherwise, unless so required by applicable securities laws.

The TSX Venture Exchange and the Canadian Securities Exchange have not reviewed, approved or disapproved the contents of this press release, and do not accept responsibility for the adequacy or accuracy of this release.

**F3 Uranium Corp.** 750-1620 Dickson Avenue Kelowna, BC V1Y9Y2 **Contact Information** Investor Relations Telephone: 778 484 8030 Email: <u>ir@f3uranium.com</u>

ON BEHALF OF THE BOARD "Dev Randhawa" Dev Randhawa, CEO

See 2 plan maps and B1 cross section showing basement wedge below.

See drill cross sections at <u>PLN Project|F3 Uranium Corp.</u>



Map 1: PLN Winter 2024 Drill Program – Update: Scintillometer Results

To view an enhanced version of this graphic, please visit: <a href="https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda">https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda</a> 87\_004full.jpg



Cross Section B1 - Line 2850S Showing Large Scale Basement Wedge

To view an enhanced version of this graphic, please visit: <a href="https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda">https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda</a> 87\_005full.jpg



## Map 2: PLN 2024 Winter Drill Program – JR Zone Scintillometer Results

To view an enhanced version of this graphic, please visit: <a href="https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda">https://images.newsfilecorp.com/files/8110/205638\_7c9e3c52247bda</a> 87\_006full.jpg