

Power Nickel Releases Initial NI 43-101 Compliant Mineral Resource Estimate on the Nisk Project

written by Raj Shah | July 19, 2022

More than 2.5 Million Indicated Tonnes at 1.20 %NiEq and 1.4 Million Inferred Tonnes at 1.29 %NiEq

July 19, 2022 ([Source](#)) – Power Nickel Inc. (the “Company” or “Power Nickel”) (TSXV:PNPN)(OTCQB:CMETF)(Frankfurt:IVVI) and Critical Elements Lithium Corporation (“Critical Elements”) (TSX.V:CRE)(OTCQX:CRECF)(FRA:F12) are pleased to release the initial NI 43-101 compliant Mineral Resource Estimate (“MRE”) on their “Nisk” Nickel Sulphide project near James Bay, Québec.

6ix Investor Webinar

Tuesday, July 19th at 10:30 AM EST / 7:30 AM PST

Power Nickel will host an investor webinar with 6ix on Tuesday, July 19th at 10:30 AM EST / 7:30 AM PST to discuss the release of the significant inaugural NI 43-101 on the Nisk Nickel Project.

To register for the webinar, please click here: <https://my.6ix.com/EkgCDn1f>.

The Nisk Project is located south of James Bay, a region that is the site of a number of mining projects (**Figure 1**) and improving infrastructure (**Figure 2**).




Figure 1 – Location of the Nisk Project with respect to the location of other known deposits.




Figure 2 – Location of the Nisk Project with respect to the current infrastructure available in the area.

Power Nickel completed the acquisition of its option to acquire up to 80% of the Nisk Project from Critical Elements Lithium Corp. (CRE:TSXV). The Nisk Project comprises a large land position (20 kilometers of strike length) with numerous high-grade Nickel intercepts. Since completion of the option, Power Nickel retained 3DGeo Solution Inc to create a geological model of the Nisk Project and used this as a guide to the very successful initial Power Nickel 2400-metre drill program completed last December and reported in March of 2022.

On the basis of this drill program and the historical drill results, 3DGeo Solution Inc was mandated to produce a NI 43-101 compliant Mineral Resource Estimate and Technical Report.

Engineering work related to defining a constraining pit shell and underground mineable shapes was contracted to InnovExplo Inc. The Highlights of the Mineral Resource Estimate are below. The full technical report, prepared in accordance with the provisions of National Instrument 43-101, will be available on SEDAR under the company's issuer profile within 45 days.

Table 1 – 2022 Nisk Project Mineral Resource Estimate.

Scenario	Classification	Cut-off NiEq (%)	Mass (t)	Grade								Material Content	
				NiEq (%)	Ni (%)	Cu (%)	Co (%)	Pt (g/t)	Pd (g/t)	Au (g/t)	Ag (g/t)	NiEq (t)	
Open Pit	Indicated	0.33	894,100	0.87	0.53	0.32	0.03	0.08	0.47	0.04	2.05	7,800	
	Inferred	0.33	67,000	1.04	0.62	0.34	0.04	0.13	0.70	0.07	2.46	700	
Underground	Indicated	0.91	1,693,500	1.37	0.83	0.48	0.05	0.13	0.86	0.06	2.65	23,200	
	Inferred	0.91	1,337,800	1.30	0.76	0.54	0.05	0.18	0.80	0.04	1.67	17,400	
Total	Indicated	0.33 + 0.91	2,587,600	1.20	0.72	0.42	0.05	0.11	0.72	0.05	2.44	31,000	
	Inferred	0.33 + 0.91	1,404,800	1.29	0.75	0.53	0.04	0.18	0.79	0.04	1.71	18,100	

Note: NiEq = Nickel Equivalent, Ni = Nickel, Cu = Copper, Co = Cobalt, Pt = Platinum, Pd = Palladium, Au = Gold, Ag = Silver, % = Percent, g = Gram, t = Metric tonne

Notes to Accompany Mineral Resource Table:

1. The Independent Qualified Persons for the purposes of this Mineral Resource Estimate (MRE), as defined in NI 43-101, are Kenneth Williamson, P.Geo.. (OGQ # 1490) and Matthew DeGasperis, P.Geo. (OGQ # 2261), of Solution 3DGéo inc. The effective date of the estimate is May 17, 2022.

2. The estimate of the mineral resources of the Nisk Project complies with the "CIM Estimation of Mineral Resources and Mineral Reserves Best Practice Guidelines" of November 29, 2019. The Mineral Resources were estimated in accordance with the Canadian Institute of Mining, Metallurgy and Petroleum (CIM), CIM Standards on Mineral Resources and Reserves, Definitions (2014) and Best Practices Guidelines (2019) prepared by the CIM Standing Committee on Reserve Definitions and adopted by the CIM Council.

3. These mineral resources are not mineral reserves since their economic viability has not been demonstrated.

4. The resources are presented before dilution and in-situ and are considered to have reasonable prospects of economic extraction. Isolated and discontinuous blocks with a grade greater than the selected cut-off grade are excluded from the estimate of underground mineral resources. The blocks that must be included, i.e., isolated blocks with a grade below the cut-off grade located within potentially mineable volumes, have been included in the mineral resource estimate.

5. As of May 17, 2022, the database included a total of 66 drillholes (59 historic and 7 recent 2021 drillholes) totaling 15,266.3 meters of drilling.

6. A value of half of the assay lab detection limit for each element was used as a grade for the un-assayed core.

7. The assays were grouped within the mineralized domains in composites of 1.00 meters in length.

8. The block model was prepared using Leapfrog® Geo and Edge software. The block model consists of 2-meter parent blocks and sub-blocks of 1 meter. The block model has a dip azimuth of 340°.

9. An interpolation according to the “inverse distance squared” (“ID²”) method was performed to estimate the grades in the interpreted mineralized volume.

10. An interpolation according to the “inverse distance squared” (“ID²”) method was performed to estimate the Density (SG) in the interpreted mineralized volume. Sample intervals with missing SG values were calculated based on a strong correlation with %Ni. The calculation used was $SG = (0.7001 \times \%Ni) + 2.6751$.

11. The “Open Pit” mineral resources are presented at a cut-off grade of 0.33 %NiEq and are confined within a “Whittle” pit shell. The “Underground” mineral resources are presented at a cut-off grade of 0.91 %NiEq and are confined within volumes defined using “DSO” (Deswick Shape Optimizer). These volumes correspond to groups of contiguous blocks with a reasonable size to be exploited by underground mining methods.

12. The engineering work required for the cut-off grade estimation and the creation of the DSO volumes were performed by InnovExplo Inc., and the following economic parameters were used : US \$8.00/lb Nickel, \$3.00/lb Cu, \$25.00/lb Cobalt, \$1000/Oz Platinum, \$1000/Oz Palladium, \$1300/Oz Gold, and \$17.00/Oz Silver; Exchange rate of USD / CAD 1.30, metallurgical recovery of 85%, total processing cost CA \$40.00/t, mining cost CA \$6.00/t, mining overburden cost CA \$4.20/t, underground mining cost CA \$110.00/t, G&A cost CA \$12.20/t, northern logistics costs CA \$10.00/t.. It should be noted that the G&A cost could be underestimated depending on the extraction sequence chosen.

13. The independent qualified persons are not aware of any environmental, licensing, legal, title-related, tax, socio-political or marketing-related issue, or any other relevant issue that could have a material impact on the estimate of mineral resources.

14. The numbers of tonnes are rounded to the nearest hundred to reflect uncertainties, which may cause slight differences.

“Power Nickel was extremely pleased with the inaugural Mineral Resource Estimate. When taken in context with our very conservative assumptions and the clear infill drilling opportunities, as outlined below in the two figures showing isometric views of the potentially economic pit constrained and underground stope constrained mineral resources, we feel we have

shown Nisk has significant commercial potential. The resource update has clearly indicated some additional infill drilling is needed and these holes are now in process of being permitted as part of our upcoming fully funded drill program” commented Power Nickel CEO Terry Lynch. “We already have permitted several drill targets to the flanks of the current deposit designed to extend the deposit and test new potential pods for additional resources. Historically, Nickel Sulfide deposits don’t exist in isolated solo deposits but typically have a string of pearl formation where multiple pearls or pods of resources are congregated in a close geographic area. The next round of drilling will focus on infill drilling targets as outlined by the Mineral Resources Estimate and on this search to extend and discover new Nickel pods. We expect drilling to commence in August and to be completed in September.”

Figure 3 shows the grade of the Nickel Equivalent (%NiEq) mineral resources and **Figure 4** shows the mineral resource classification (indicated and inferred). Note that portions of the deposit still contain unclassified mineral potential and requiring more in-fill drilling to potentially include this in a future updated MRE.




Figure 3 – Isometric view of the 2022 Nisk Project Mineral Resource Estimate, showing both the open pit constrained resources (using a cut-off grade of 0.33 %NiEq) and the underground constrained resources (at a cut-off grade of 0.91 %NiEq) .




Figure 4 – Isometric view of the 2022 Nisk Project Mineral Resource Classification, showing both the open pit constrained resources (using a cut-off grade of 0.33 %NiEq) and the underground constrained resources (at a cut-off grade of 0.91 %NiEq) .

Table 2 shows the different cut-off grade (CoG) sensitivities based on Nickel Price (+/- 10% and 20% of the base case scenario). The base case scenario is highlighted in light yellow. **Table 3** shows the CoG and correlated Nickel metal prices in USD\$ per pound.

Table 2 – 2022 Nisk Project Mineral Resource Estimate Cut-off Grade Sensitivity.

Scenario	Classification	Cut-off NiEq (%)	Mass (t)	Grade								Material Content	
				NiEq (%)	Ni (%)	Cu (%)	Co (%)	Pt (g/t)	Pd (g/t)	Au (g/t)	Ag (g/t)	NiEq (t)	
Open Pit	Indicated	0.27	1,259,600	0.92	0.55	0.34	0.03	0.09	0.57	0.05	2.44	11,600	
		0.30	917,200	0.88	0.53	0.32	0.03	0.08	0.48	0.04	2.05	8,000	
		0.33	894,100	0.87	0.53	0.32	0.03	0.08	0.47	0.04	2.05	7,800	
		0.36	687,400	0.88	0.53	0.33	0.03	0.09	0.51	0.04	2.19	6,100	
		0.41	595,700	0.90	0.54	0.34	0.03	0.09	0.53	0.04	2.23	5,400	
	Inferred	0.27	86,200	1.05	0.62	0.34	0.04	0.13	0.71	0.07	2.62	900	
		0.30	67,000	1.04	0.62	0.34	0.04	0.13	0.70	0.07	2.46	700	
		0.33	67,000	1.04	0.62	0.34	0.04	0.13	0.70	0.07	2.46	700	
		0.36	65,900	1.04	0.62	0.34	0.04	0.13	0.70	0.07	2.46	700	
		0.41	56,500	1.03	0.61	0.33	0.04	0.14	0.70	0.07	2.37	600	
Underground	Indicated	0.75	1,770,400	1.30	0.80	0.45	0.05	0.12	0.77	0.05	2.47	23,100	
		0.82	1,902,800	1.32	0.80	0.46	0.05	0.13	0.82	0.06	2.66	25,100	
		0.91	1,693,500	1.37	0.83	0.48	0.05	0.13	0.86	0.06	2.65	23,200	
		1.01	1,457,000	1.44	0.87	0.49	0.05	0.14	0.90	0.06	2.50	20,900	
		1.14	1,119,600	1.54	0.93	0.52	0.06	0.15	0.98	0.06	2.38	17,200	
	Inferred	0.75	1,973,500	1.16	0.68	0.47	0.04	0.16	0.68	0.04	1.58	22,800	
		0.82	1,661,800	1.22	0.72	0.50	0.04	0.17	0.73	0.04	1.62	20,300	
		0.91	1,337,800	1.30	0.76	0.54	0.05	0.18	0.80	0.04	1.67	17,400	
		1.01	1,180,700	1.33	0.78	0.56	0.05	0.19	0.82	0.04	1.66	15,700	
		1.14	904,900	1.40	0.82	0.57	0.05	0.20	0.86	0.04	1.73	12,700	
Total	Indicated	0.27 + 0.75	3,030,000	1.15	0.69	0.41	0.04	0.11	0.69	0.05	2.46	34,700	
		0.30 + 0.82	2,820,000	1.17	0.71	0.42	0.04	0.11	0.71	0.05	2.46	33,100	
		0.33 + 0.91	2,587,600	1.20	0.72	0.42	0.05	0.11	0.72	0.05	2.44	31,000	
		0.36 + 1.01	2,144,400	1.26	0.76	0.44	0.05	0.12	0.78	0.05	2.40	27,000	
		0.41 + 1.14	1,715,300	1.32	0.80	0.46	0.05	0.13	0.83	0.05	2.33	22,600	
	Inferred	0.27 + 0.75	2,059,700	1.15	0.68	0.47	0.04	0.16	0.68	0.04	1.62	23,700	
		0.30 + 0.82	1,728,800	1.21	0.71	0.49	0.04	0.17	0.73	0.04	1.65	21,000	
		0.33 + 0.91	1,404,800	1.29	0.75	0.53	0.04	0.18	0.79	0.04	1.71	18,100	
		0.36 + 1.01	1,246,600	1.32	0.77	0.55	0.05	0.19	0.82	0.04	1.71	16,400	
		0.41 + 1.14	961,400	1.38	0.81	0.56	0.05	0.20	0.85	0.04	1.77	13,200	

Note: NiEq = Nickel Equivalent, Ni = Nickel, Cu = Copper, Co = Cobalt, Pt = Platinum, Pd = Palladium, Au = Gold, Ag = Silver, % = Percent, g = Gram, t = Metric tonne; Base Case highlighted in light yellow.

Table 3 – 2022 Nisk Project Mineral Resource Estimate Cut-off Grade Sensitivity with Correlated Nickel Price Sensitivity.

Sensitivity	US \$Ni/lb	Open Pit CoG (%NiEq)	Underground CoG (%NiEq)
Sensitivity +2	\$ 9.60	0.27	0.75
Sensitivity +1	\$ 8.80	0.30	0.82
Base Case	\$ 8.00	0.33	0.91
Sensitivity -1	\$ 7.20	0.36	1.01
Sensitivity -2	\$ 6.40	0.41	1.14

About Power Nickel Inc.

Power Nickel is a Canadian junior exploration company focusing on high-potential copper, gold, and battery metal prospects in Canada and Chile.

On February 1, 2021, Power Nickel (then called Chilean Metals) completed the acquisition of its option to acquire up to 80% of the Nisk project from Critical Elements Lithium Corp. (CRE:TSXV)

The NISK property comprises a large land position (20 kilometers of strike length) with numerous high-grade intercepts. Power Nickel, formerly Chilean Metals is focused on confirming and expanding its current high-grade nickel-copper PGE mineralization historical resource by preparing a new Mineral Resource Estimate in accordance with NI 43-101, identifying additional high-grade mineralization, and developing a process to potentially produce nickel sulfates responsibly for batteries to be used in the electric vehicles industry.

Power Nickel (then called Chilean Metals) announced on June 8th, 2021 that an agreement has been made to complete the 100% acquisition of its Golden Ivan project in the heart of the Golden Triangle. The Golden Triangle has reported mineral resources (past production and current resources) in a total of 67 million ounces of gold, 569 million ounces of silver, and 27 billion pounds of copper. This property hosts two known mineral showings (gold ore and magee), and a portion of the past-producing Silverado mine, which was reportedly exploited between 1921 and 1939. These mineral showings are described to be Polymetallic veins that contain quantities of silver, lead, zinc, plus/minus gold, and plus/minus copper.

Power Nickel is the 100-per-cent owner of five properties comprising over 50,000 acres strategically located in the

prolific iron-oxide-copper-gold belt of northern Chile. It also owns a 3-per-cent NSR royalty interest on any future production from the Copaquire copper-molybdenum deposit, recently sold to a subsidiary of Teck resources Inc. Under the terms of the sale agreement, Teck has the right to acquire one-third of the 3-per-cent NSR for \$3-million at any time. The Copaquire property borders Teck's producing Quebrada Blanca copper mine in Chile's first region.

About Critical Elements Lithium Corporation

Critical Elements aspires to become a large, responsible supplier of lithium to the flourishing electric vehicle and energy storage system industries. To this end, Critical Elements is advancing the wholly-owned, high-purity Rose lithium project in Quebec. Rose is the Corporation's first lithium project to be advanced within a land portfolio of over 700 square kilometers.

On June 13th, 2022, the Corporation announced the results of a feasibility study on Rose for the production of spodumene concentrate. The after-tax internal rate of return for the project is estimated at 82.4%, with an estimated after-tax net present value of US\$1.9 B at an 8% discount rate. In the Corporation's view, Quebec is strategically well-positioned for US and EU markets and boasts good infrastructure including a low-cost, low-carbon power grid featuring 93% hydroelectricity. The project has received approval from the Federal Minister of Environment and Climate Change on the recommendation of the Joint Assessment Committee, comprised of representatives from the Impact Assessment Agency of Canada and the Cree Nation Government; the Corporation is working to obtain similar approval under the Quebec environmental assessment process. The Corporation also has a good, formalized relationship with the Cree Nation.

For further information on Power Nickel Inc., please contact:

Mr. Terry Lynch, CEO
647-448-8044
terry@powernickel.com

For further information, readers are encouraged to contact:

Power Nickel Inc.
The Canadian Venture Building
82 Richmond St East, Suite 202
Toronto, ON

For further information on Critical Elements, please contact:

Patrick Laperrière
Director of Investor Relations and Corporate Development
514-817-1119
plaperriere@cecorp.ca
www.cecorp.ca

SOURCE: Power Nickel Inc.