

Renforth Resources Reports Systematic Platinum and Palladium Sampling Results at Victoria Deposit, Confirms Deposit-Wide Presence of PGMs in Ultramafic Horizon

written by Raj Shah | March 11, 2026

March 10, 2026 ([Source](#)) – **Renforth Resources Inc.** (CSE: RFR | OTC: RFHRF | FSE: 9RR) (“Renforth” or the “Company”) is pleased to report results from a systematic platinum group metal (“PGM”) sampling program conducted on existing drill core from the Victoria polymetallic deposit, located on the Company’s wholly-owned Malartic Metals Package property near Malartic, Québec.

Program Overview

Following the declaration of an initial Inferred Mineral Resource Estimate (“MRE”) for the Victoria open pit polymetallic deposit in November 2025 (NI 43-101 Technical Report, P&E Mining Consultants Inc., Report 482, effective September 26, 2025), Renforth undertook a systematic re-sampling program targeting platinum (Pt) and palladium (Pd) across a cross-section of the deposit. The program was designed to establish whether PGM presence, previously confirmed on a limited basis in several small sampling programs, is a consistent characteristic of the Victoria ultramafic mineralization at a scale sufficient to support inclusion in a future updated MRE.

A total of 99 samples were selected from existing half-core

across 9 drill holes spanning the sampled 2.5 km strike length of the deposit. Samples were submitted to MSA Labs for PGM analysis. All sampling was conducted under the supervision of Francis Newton P.Geo OGQ who acts as the Qualified Person for this release.

Results

Of the 99 samples submitted, **90 returned detectable combined Pt+Pd values** (91% detection rate). Results are summarised as follows:

Metal	Min (g/t)	Max (g/t)	Mean (g/t)
Pd	<0.002	0.020	0.013
Pt	<0.005	0.033	0.014
Pd+Pt	<0.002	0.047	0.026

Platinum is the dominant PGM in the majority of samples. Palladium is present at lower but broadly consistent levels across the sampled intervals.

A positive correlation was observed between combined Pd+Pt values and nickel grade across the sample population, consistent with PGMs being hosted within the pentlandite-bearing ultramafic mineralization that constitutes the nickel-dominant horizon of the Victoria deposit. Samples returning Pd+Pt values at or above the dataset mean were predominantly associated with nickel grades above 1,500 ppm (0.15%).

Selected higher-value results include:

Hole	From (m)	To (m)	Length (m)	Pd (g/t)	Pt (g/t)	Pd+Pt (g/t)	Ni (ppm)
SUR-21-26	46.55	48.00	1.45	0.032	0.016	0.048	2,370
SUR-21-20	85.50	87.00	1.50	0.019	0.023	0.042	2,880

SUR-21-20	94.50	96.00	1.50	0.017	0.020	0.037	2,530
SUR-21-23	55.00	56.00	1.00	0.022	0.015	0.037	2,290
SUR-21-20	103.50	105.00	1.50	0.017	0.016	0.033	2,270
SUR-21-20	109.50	111.00	1.50	0.015	0.014	0.029	2,530
SUR-21-20	100.50	102.00	1.50	0.016	0.012	0.028	2,340

Intervals are as measured in the core box and do not represent true widths. The relationship between sample width and true width has not been established.

Geological Significance

The Victoria deposit is hosted within a package of interlayered ultramafic and black shale units forming a polymetallic sulphide system approximately 20 km in strike length, of which 2.5 km is within the MRE. The current MRE (Inferred, pit-constrained) comprises 125 Mt at 0.12% Ni, 0.02% Cu, 0.01% Co, 0.08% Zn, and 0.38 g/t Ag (0.15% NiEq) containing 413 Mlbs NiEq.

The near-universal detection of Pt and Pd across 90 of 99 samples from the ultramafic horizon, combined with the observed positive correlation with nickel grade, confirms that PGM presence is a deposit-wide characteristic of the Victoria mineralization rather than an isolated occurrence. This is consistent with Outokumpu-style polymetallic sulphide systems, the geological analogue for the Victoria deposit, in which PGMs are typically hosted in association with pentlandite-bearing ultramafic rocks.

Platinum and palladium are hosted in the same ultramafic horizon as the nickel and cobalt mineralization. This means that in any future processing scenario, PGMs would report to the same concentrate stream as the nickel sulphide fraction, with no requirement for a separate mining or processing circuit.

Next Steps

The results of this program will be incorporated into the database in support of a future updated MRE for the Victoria deposit. An updated MRE is anticipated following completion of additional drilling, including a previously announced planned 1,000 m drill program, for which permitting is currently underway.

Renforth's recommended next-phase work program for Victoria, as outlined in the November 2025 NI 43-101 Technical Report, includes comprehensive Pt and Pd testing to support inclusion of PGMs in the updated resource estimate. This program, in conjunction with limited prior work, meets that requirement.

Strategic Context

Platinum and palladium are designated critical minerals by Canada, the United States, and multiple allied nations, reflecting their strategic importance across defence electronics, fuel cell technology, catalytic applications, and advanced manufacturing. Global palladium supply is heavily concentrated in Russia and South Africa; global platinum supply is similarly concentrated. The Victoria deposit, located in Québec, Canada, represents a 100%-Canadian-owned, allied-jurisdiction source of multiple critical minerals – nickel, cobalt, copper, zinc, and now confirmed PGMs – within a single, contiguous mineral system.

The Company notes that no economic analysis of PGM recovery has been completed, and PGM grades at Victoria are low relative to primary PGM deposits. The significance of these results lies in the consistency of PGM presence across the deposit and the potential for PGMs to contribute as byproduct credits in any future economic assessment of the Victoria deposit.

Qualified Person

Francis Newton P. Geo OGQ is an independent “Qualified Person” as defined by National Instrument 43-101 – *Standards of Disclosure for Mineral Projects*, has reviewed and approved the technical content of this press release.

Quality Assurance / Quality Control

Samples were selected in the field by Francis Newton P. Geo OGQ, bagged, tagged and securely sealed. They were personally delivered to MSA labs in Val d’Or where they underwent fire assay for PGMs testing. QA/QC protocols were implemented in the standard manner by the laboratory.

About Renforth Resources Inc.

Renforth Resources Inc. is a Canadian mineral exploration company focused on the development of critical minerals and gold assets in the Province of Québec. The Company’s principal assets are the Victoria polymetallic Ni-Co-Cu-Zn-Ag-Au-PGM deposit and the Parbec gold deposit, both located near Malartic, Québec, in one of Canada’s premier mining jurisdictions.

For further information, please contact:

Nicole Brewster, President & CEO Renforth Resources Inc. Tel:
(416) 818-1393

Email: Nicole@renforthresources.com Website: www.renforthresources.com

Renforth Resources Inc. Unit 1B, 955 Brock Road Pickering, Ontario L1W 2X9

CSE: RFR | OTC: RFHRF | FSE: 9RR

This press release contains forward-looking statements. Forward-

looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of Renforth to be materially different from any future results, performances or achievements expressed or implied by the forward-looking statements. Readers are cautioned not to place undue reliance on these forward-looking statements, which speak only as of the date of this press release. Renforth disclaims any obligation to update any such factors or to publicly announce the result of any revision to any of the forward-looking statements contained herein to reflect future events or developments.

Neither the Canadian Securities Exchange nor its Regulation Services Provider (as that term is defined in the policies of the Canadian Securities Exchange) accepts responsibility for the adequacy or accuracy of this press release.

NOT FOR DISTRIBUTION TO U.S. NEWSWIRE SERVICES OR FOR DISSEMINATION IN THE UNITED STATES